Google

Web   Images   Video   News   Maps   more »

macroblock intra "non-intra" flag same "weight[Search   ]   Advanced Search
Preferences

Web   Results **1 - 9** of about **35** for **macroblock intra "non-intra" flag same "weighted mean"**. (0.97 seconds)

MPlayer(1) The Movie Player MPlayer(1) NAME mplayer - movie player ...
1: clear framestep=I|[i]step Renders only every nth frame or every **intra** frame ...
Without this option, a whole **macroblock** must use the **same** reference. ...
www.mplayerhq.hu/DOCS/man/en/mplayer.1.txt - 352k - Cached - Similar pages

MPlayer
average **non-intra** texture complexity in P-frames ... Without this option, a whole
macroblock must use the **same** reference. Requires frameref>1. ...
www.mplayerhq.hu/DOCS/man/en/mplayer.1.html - 977k - Nov 6, 2006 -
Cached - Similar pages

mplayer (Linux Reviews)
s: texture complexity; s: **intra**, **non-intra** texture complexity ... Without this option, a
whole **macroblock** must use the **same** reference. Requires frameref>1. ...
linuxreviews.org/man/mplayer/ - 380k - Cached - Similar pages

[mplayer] View of /trunk/DOCS/man/en/mplayer.1
IPs avgPPTex average **non-intra** texture complexity in P-frames . ... Without this
option, a whole **macroblock** must use the **same** reference. ...
svn.mplayerhq.hu/mplayer/trunk/DOCS/man/en/mplayer.1?
view=markup&pathrev=17472 - 262k - Cached - Similar pages

atty.skr.jp/WebSVN/filedetails.php?repname=mplayer...
Similar pages

www.nurs.or.jp/~calcium/wiki/index.php?plugin=atta...
Similar pages

www.pcbypaul.com/absolute/programs/mplayer/command...
Similar pages

man mplayer - movie player mencoder - movie encoder / Commandes ...
variables: texture complexity **intra**, **non-intra** texture complexity average texture ...
Without this option, a whole **macroblock** must use the **same** reference. ...
pwet.fr/man/linux/commandes/mplayer - 255k - Cached - Similar pages

sourCEntral - Ubuntu 6.06 (Dapper Drake) - MPlayer
Every ' **flag** ' option has a ' noflag ' counterpart , eg the opposite of the ... Specifying
– autosync 1 will do the **same** , but will subtly change the A / V ...
www.sourcentral.org/man/ubuntu606/1+mplayer - 1007k - Supplemental Result -
Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.
If you like, you can repeat the search with the omitted results included.

Free! Speed up the web. Download the Google Web Accelerator.

---

macroblock intra "non-intra" flag san [Search   ]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

SCirUS
for scientific information only

FEBS Letters Budapest Special Issue / Proteins and Peptides

| About Us | Newsroom | Advisory Board | Submit Web Site | Help | | Contact Us |

Basic Search

Advanced Search Search Preferences

:macroblock AND intra AND "non-intra" AND flag AND s   [Search]

☑ Journal sources   ☑ Preferred Web sources   ☑ Other Web sources   ☐ Exact phrase

Searched for::   :All of the words:**macroblock** AND **intra** AND **"non-intra"** AND **flag** AND **same** AND **"weighted mear**

Found::   :**2 total** | **0 journal results** | **2 preferred web results** | **0 other web results**

Sort by::   :**relevance** | date

[Save checked results]————[Email checked results]————[Export checked results]——●

Did you me
macro blo
intra" flag s
mean"

Or refine
All of the

[Refine]

☐ **1.** High efficiency coding signal processing apparatus with error propagation influence reduction
Shimoda, Kenji / Takeda, Hitoshi, *EUROPEAN PATENT*, Dec 1992
...variable, the recording position of an **intra**-image coded image on a track cannot be specified. For this reason, the **intra**-image coded image may not be reproduced...contrast to this, in some method, only the **intra**-image coding scheme is used as a coding...signals into a frame structure, and at the **same** time outputs the signals to a bit rate...appears after "0"s (to be referred to as a **non**- zero coefficient hereinafter). The...for explaining this coding system. The **macroblock** signal shown in Fig. 36 is input to...
Full text available at patent office. For more in-depth searching go to 🌑 LexisNexis⁻
view all 2 results from Patent Offices
similar results

☐ **2.** High efficiency coding signal processing apparatus with error propagation influence reduction
Shimoda, Kenji, Yokohama, JP / Takeda, Hitoshi, Yokohama, JP, *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Dec 1997
...zero-run/Amp calculating section 86, a **non**-zero coefficient coding section 87, and...of the color difference system are the **same** as those of the zero-run/Amp calculating section 83, the **non**-zero coefficient coding section 84, and...addition, the circuit 91 adds an error **flag** to data which cannot be corrected, and...data decoder 94, respectively. At the **same** time, the signal separation circuit 92...and outputs the macroaddress MBA, the **macroblock** pointer MBP, and the code length L constituting...
Full text available at patent office. For more in-depth searching go to 🌑 LexisNexis⁻
view all 2 results from Patent Offices
similar results

∷fast

SCIrUS
for scientific information only

| SCIrUS ▾ | ▾ | (Search) ▾ | ☐Pop-up Blocker OFF | ✐ Highlight |

| About Us | Newsroom | Advisory Board | Submit Web Site | Help | | Contact Us |

Basic Search

Advanced Search   Search Preferences

macroblock AND intra AND "non-intra" AND flag AND s   [Search]

☑ Journal sources   ☑ Preferred Web sources   ☑ Other Web sources   ☐ Exact phrase

---

Sorry, your query - macroblock AND intra AND "non-intra" AND flag AND same AND "weighted mean rounded" has not produced any result

Did you mean: _macro block_ intra "non-intra" flag same "weighted mean rounded"

Before searching again, using the same or similar keywords, you may helpful to:
• check the selected sources, information types and subject areas, the selection may not contain results matching your query
• check the spelling of all words
• spell words in a different way, for example using American spelling
• write abbreviations and acronyms in full
• use alternative words that have the same meaning
• search using fewer or more general words

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

□ **Search Results**   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPOF

Results for "((macroblock<in>metadata) <and> (weighted mean<in>metadata))"   ☑e-mail 🖨printei
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((macroblock<in>metadata) <and> (weighted mean<in>metadata))   [Search >]

⌐ Check to search only within this results set

Display Format: ⊙ Citation   ⌐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by
📓 Inspec®